

## CLAIMS

The original and previously presented claims are as follows:

Claims 1-32 (cancelled).

33. (Previously Presented) A system for providing a web page for a device that is a copier device, comprising:

(a) a copier device web server mechanism including:

a memory embedded in the copier device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a copier device web page that enables control functions for the copier device;

a processor embedded in the copier device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the copier device web page that enables control functions for the copier device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

copier device-specific hardware embedded in the copier device and coupled to the processor;

input/output circuitry embedded in the copier device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the copier device web page.

34. (Previously Presented) The system of claim 33 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

35. (Previously Presented) The system of claim 33 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.
36. (Previously Presented) The system of claim 33 wherein the communication path is a home- based network.
37. (Previously Presented) The system of claim 33 wherein the communication path is a home- based network that includes twisted pair communication links.
38. (Previously Presented) The system of claim 33 wherein the communication path is a local area network.
39. (Previously Presented) The system of claim 33 wherein the communication path includes power line communication links.
40. (Previously Presented) The system of claim 33 wherein the communication path includes radio frequency communication links.
41. (Previously Presented) The system of claim 33 wherein the communication path includes infrared communication links.
42. (Previously Presented) The system of claim 33 wherein the communication path includes telephone lines and cellular telephone links.
43. (Previously Presented) The system of claim 33 wherein the communication path includes a direct Internet connection to the world-wide web.
44. (Previously Presented) The system of claim 33 wherein the communication path includes:  
a local area network;  
a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

45. (Previously Presented) The system of claim 33 wherein the communication path includes:

a home-based network;

a communication bridge coupled to the home-based network; and the world-wide web, the world-wide web being coupled to the communication bridge.

46. (Previously Presented) The system of claim 33 wherein the web browser has audio capability.

47. (Previously Presented) The system of claim 33 wherein the web browser is embodied in a computer system that executes a set of web browser software.

48. (Previously Presented) The system of claim 33 wherein the web browser is embodied in specialized television hardware.

49. (Previously Presented) The system of claim 33 wherein the web browser is embodied in specialized telephone system hardware.

50. (Previously Presented) The system of claim 33 wherein the input/output circuitry is Ethernet circuitry.

51. (Previously Presented) A system for providing a web page for a device that is a printer device, comprising:

(a) a printer device web server mechanism including:

a memory embedded in the printer device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a printer device web page that enables control functions for the printer device;

a processor embedded in the printer device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the printer device web page that enables control functions for the printer device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

printer device-specific hardware embedded in the printer device and coupled to the processor;

input/output circuitry embedded in the printer device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the printer device web page.

52. (Previously Presented) The system of claim 51 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

53. (Previously Presented) The system of claim 51 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

54. (Previously Presented) The system of claim 51 wherein the communication path is a home- based network.

55. (Previously Presented) The system of claim 51 wherein the communication path is a local area network.

56. (Previously Presented) The system of claim 51 wherein the communication path includes power line communication links.

57. (Previously Presented) The system of claim 51 wherein the communication path includes radio frequency communication links.

58. (Previously Presented) The system of claim 51 wherein the communication path includes infrared communication links.

59. (Previously Presented) The system of claim 51 wherein the communication path includes telephone lines and cellular telephone links.

60. (Previously Presented) The system of claim 51 wherein the communication path includes a direct Internet connection to the world-wide web.

61. (Previously Presented) The system of claim 51 wherein the communication path includes:

- a local area network;

- a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

62. (Previously Presented) The system of claim 51 wherein the web browser is embodied in specialized television hardware.

63. (Previously Presented) The system of claim 51 wherein the web browser is embodied in specialized telephone system hardware.

64. (Previously Presented) The system of claim 51 wherein the input/output circuitry is Ethernet circuitry.

65. (Previously Presented) A system for providing a web page for a device that is a fax machine device, comprising:

- (a) a fax machine device web server mechanism including:

- a memory embedded in the fax machine device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a fax machine device web page that enables control functions for the fax machine device;

- a processor embedded in the fax machine device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the fax machine device web page that enables control functions for the fax machine device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

fax machine device-specific hardware embedded in the fax machine device and coupled to the processor;

input/output circuitry embedded in the fax machine device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the fax machine device web page.

66. (Previously Presented) The system of claim 65 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

67. (Previously Presented) The system of claim 65 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

68. (Previously Presented) The system of claim 65 wherein the communication path is a home\_based network.

69. (Previously Presented) The system of claim 65 wherein the communication path is a local area network.

70. (Previously Presented) The system of claim 65 wherein the communication path includes power line communication links.

71. (Previously Presented) The system of claim 65 wherein the communication path includes radio frequency communication links.

72. (Previously Presented) The system of claim 65 wherein the communication path includes infrared communication links.

73. (Previously Presented) The system of claim 65 wherein the communication path includes telephone lines and cellular telephone links.

74. (Previously Presented) The system of claim 65 wherein the communication path includes a direct Internet connection to the world-wide web.

75. (Previously Presented) The system of claim 65 wherein the communication path includes:

- a local area network;

- a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

76. (Previously Presented) The system of claim 65 wherein the web browser is embodied in specialized television hardware.

77. (Previously Presented) The system of claim 65 wherein the web browser is embodied in specialized telephone system hardware.

78. (Previously Presented) The system of claim 65 wherein the input/output circuitry is Ethernet circuitry.

79. (Previously Presented) A system for providing a web page for a device that is a video player device that reads video and audio information from a storage medium, comprising:

- (a) a video player device web server mechanism including:

- a memory embedded in the video player device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a video player device web page that enables control functions for the video player device;

- a processor embedded in the video player device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the video player device web page that enables control functions for the video player device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

video player device-specific hardware embedded in the video player device and coupled to the processor;

input/output circuitry embedded in the video player device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the video player device web page.

80. (Previously Presented) The system of claim 79 wherein the storage medium is an optical storage medium.

81. (Previously Presented) The system of claim 79 wherein the storage medium is magnetic tape.

82. (Previously Presented) The system of claim 79 wherein the video player is a video player/recorder that reads and writes video and audio information to an optical storage medium.

83. (Previously Presented) The system of claim 79 wherein the video player is a video player/recorder that reads and writes video and audio information to a magnetic tape storage medium.

84. (Previously Presented) The system of claim 79 wherein the video player device-specific hardware includes a motor.

85. (Previously Presented) The system of claim 79 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.



86. (Previously Presented) The system of claim 79 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.
87. (Previously Presented) The system of claim 79 wherein the communication path is a home- based network.
88. (Previously Presented) The system of claim 79 wherein the communication path is a local area network.
89. (Previously Presented) The system of claim 79 wherein the communication path includes power line communication links.
90. (Previously Presented) The system of claim 79 wherein the communication path includes radio frequency communication links.
91. (Previously Presented) The system of claim 79 wherein the communication path includes infrared communication links.
92. (Previously Presented) The system of claim 79 wherein the communication path includes telephone lines and cellular telephone links.
93. (Previously Presented) The system of claim 79 wherein the communication path includes a direct Internet connection to the world-wide web.
94. (Previously Presented) The system of claim 79 wherein the communication path includes:  
a local area network;  
a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.
95. (Previously Presented) The system of claim 79 wherein the web browser is embodied in specialized television hardware.

96. (Previously Presented) The system of claim 79 wherein the web browser is embodied in specialized telephone system hardware.

97. (Previously Presented) The system of claim 79 wherein the input/output circuitry is Ethernet circuitry.

98. (Previously Presented) A system for providing a web page for a device that is a television device, comprising:

(a) a television device web server mechanism including:

a memory embedded in the television device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a television device web page that enables control functions for the television device;

a processor embedded in the television device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the television device web page that enables control functions for the television device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

television device-specific hardware embedded in the television device and coupled to the processor;

input/output circuitry embedded in the television device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the television device web page.

99. (Previously Presented) The system of claim 98 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

100. (Previously Presented) The system of claim 98 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.
101. (Previously Presented) The system of claim 98 wherein the communication path is a home- based network.
102. (Previously Presented) The system of claim 98 wherein the communication path is a local area network.
103. (Previously Presented) The system of claim 98 wherein the communication path includes power line communication links.
104. (Previously Presented) The system of claim 98 wherein the communication path includes radio frequency communication links.
105. (Previously Presented) The system of claim 98 wherein the communication path includes infrared communication links.
106. (Previously Presented) The system of claim 98 wherein the communication path includes telephone lines and cellular telephone links.
107. (Previously Presented) The system of claim 98 wherein the communication path includes a direct Internet connection to the world-wide web.
108. (Previously Presented) The system of claim 98 wherein the communication path includes:  
a local area network;  
a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.
109. (Previously Presented) The system of claim 98 wherein the web browser is embodied in specialized television hardware.

110. (Previously Presented) The system of claim 98 wherein the web browser is embodied in specialized telephone system hardware.

111. (Previously Presented) The system of claim 98 wherein the input/output circuitry is Ethernet circuitry.

112. (Previously Presented) A system for providing a web page for a device that is a thermostat device, comprising:

(a) a thermostat device web server mechanism including:

a memory embedded in the thermostat device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a thermostat device web page that enables control functions for the thermostat device;

a processor embedded in the thermostat device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the thermostat device web page that enables control functions for the thermostat device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

thermostat device-specific hardware embedded in the thermostat device and coupled to the processor;

input/output circuitry embedded in the thermostat device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the thermostat device web page.

113. (Previously Presented) The system of claim 112 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

114. (Previously Presented) The system of claim 112 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

115. (Previously Presented) The system of claim 112 wherein the communication path is a home\_based network.

116. (Previously Presented) The system of claim 112 wherein the communication path is a local area network.

117. (Previously Presented) The system of claim 112 wherein the communication path includes power line communication links.

118. (Previously Presented) The system of claim 112 wherein the communication path includes radio frequency communication links.

119. (Previously Presented) The system of claim 112 wherein the communication path includes infrared communication links.

120. (Previously Presented) The system of claim 112 wherein the communication path includes telephone lines and cellular telephone links.

121. (Previously Presented) The system of claim 112 wherein the communication path includes a direct Internet connection to the world-wide web.

122. (Previously Presented) The system of claim 112 wherein the communication path includes:

a local area network;

a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

123. (Previously Presented) The system of claim 112 wherein the web browser is embodied in specialized television hardware.

124. (Previously Presented) The system of claim 112 wherein the web browser is embodied in specialized telephone system hardware.

125. (Previously Presented) The system of claim 112 wherein the input/output circuitry is Ethernet circuitry.

126. (Previously Presented) A system for providing a web page for a device that is a refrigerator device, comprising:

(a) a refrigerator device web server mechanism including:

a memory embedded in the refrigerator device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a refrigerator device web page that enables control functions for the refrigerator device;

a processor embedded in the refrigerator device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the refrigerator device web page that enables control functions for the refrigerator device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

refrigerator device-specific hardware embedded in the refrigerator device and coupled to the processor;

input/output circuitry embedded in the refrigerator device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the refrigerator device web page.

127. (Previously Presented) The system of claim 126 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

128. (Previously Presented) The system of claim 126 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

129. (Previously Presented) The system of claim 126 wherein the communication path is a home- based network.

130. (Previously Presented) The system of claim 126 wherein the communication path is a local area network.

131. (Previously Presented) The system of claim 126 wherein the communication path includes power line communication links.

132. (Previously Presented) The system of claim 126 wherein the communication path includes radio frequency communication links.

133. (Previously Presented) The system of claim 126 wherein the communication path includes infrared communication links.

134. (Previously Presented) The system of claim 126 wherein the communication path includes telephone lines and cellular telephone links.

135. (Previously Presented) The system of claim 126 wherein the communication path includes a direct Internet connection to the world-wide web.

136. (Previously Presented) The system of claim 126 wherein the communication path includes:

a local area network;

a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

137. (Previously Presented) The system of claim 126 wherein the web browser is embodied in specialized television hardware.

138. (Previously Presented) The system of claim 126 wherein the web browser is embodied in specialized telephone system hardware.

139. (Previously Presented) The system of claim 126 wherein the input/output circuitry is Ethernet circuitry.

140. (Previously Presented) A system for providing a web page for a device that is a washing machine device, comprising:

(a) a washing machine device web server mechanism including:

a memory embedded in the washing machine device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a washing machine device web page that enables control functions for the washing machine device;

a processor embedded in the washing machine device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the washing machine device web page that enables control functions for the washing machine device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

washing machine device-specific hardware embedded in the washing machine device and coupled to the processor;

input/output circuitry embedded in the washing machine device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the washing machine device web page.

141. (Previously Presented) The system of claim 140 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.



142. (Previously Presented) The system of claim 140 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

143. (Previously Presented) The system of claim 140 wherein the communication path is a home\_based network.

144. (Previously Presented) The system of claim 140 wherein the communication path is a local area network.

145. (Previously Presented) The system of claim 140 wherein the communication path includes power line communication links.

146. (Previously Presented) The system of claim 140 wherein the communication path includes radio frequency communication links.

147. (Previously Presented) The system of claim 140 wherein the communication path includes infrared communication links.

148. (Previously Presented) The system of claim 140 wherein the communication path includes telephone lines and cellular telephone links.

149. (Previously Presented) The system of claim 140 wherein the communication path includes a direct Internet connection to the world-wide web.

150. (Previously Presented) The system of claim 140 wherein the communication path includes:

a local area network;

a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

151. (Previously Presented) The system of claim 140 wherein the web browser is embodied in specialized television hardware.

152. (Previously Presented) The system of claim 140 wherein the web browser is embodied in specialized telephone system hardware.

153. (Previously Presented) The system of claim 140 wherein the input/output circuitry is Ethernet circuitry.

154. (Previously Presented) A system for providing a web page for a device that is a disk drive device, comprising:

(a) a disk drive device web server mechanism including:

a memory embedded in the disk drive device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a disk drive device web page that enables control functions for the disk drive device;

a processor embedded in the disk drive device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the disk drive device web page that enables control functions for the disk drive device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

disk drive device-specific hardware embedded in the disk drive device and coupled to the processor;

input/output circuitry embedded in the disk drive device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the disk drive device web page.

155. (Previously Presented) The system of claim 154 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

156. (Previously Presented) The system of claim 154 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

157. (Previously Presented) The system of claim 154 wherein the communication path is a home- based network.

158. (Previously Presented) The system of claim 154 wherein the communication path is a local area network.

159. (Previously Presented) The system of claim 154 wherein the communication path includes power line communication links.

160. (Previously Presented) The system of claim 154 wherein the communication path includes radio frequency communication links.

161. (Previously Presented) The system of claim 154 wherein the communication path includes infrared communication links.

162. (Previously Presented) The system of claim 154 wherein the communication path includes telephone lines and cellular telephone links.

163. (Previously Presented) The system of claim 154 wherein the communication path includes a direct Internet connection to the world-wide web.

164. (Previously Presented) The system of claim 154 wherein the communication path includes:

a local area network;

a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

165. (Previously Presented) The system of claim 154 wherein the web browser is embodied in specialized television hardware.

166. (Previously Presented) The system of claim 154 wherein the web browser is embodied in specialized telephone system hardware.

167. (Previously Presented) The system of claim 154 wherein the input/output circuitry is Ethernet circuitry.

168. (Previously Presented) A system for providing a web page for a device that is an oscilloscope device, comprising:

(a) an oscilloscope device web server mechanism including:

a memory embedded in the oscilloscope device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating an oscilloscope device web page that enables control functions for the oscilloscope device;

a processor embedded in the oscilloscope device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the oscilloscope device web page that enables control functions for the oscilloscope device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

oscilloscope device-specific hardware embedded in the oscilloscope device and coupled to the processor;

input/output circuitry embedded in the oscilloscope device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the oscilloscope device web page.

169. (Previously Presented) The system of claim 168 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

170. (Previously Presented) The system of claim 168 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

171. (Previously Presented) The system of claim 168 wherein the communication path is a home\_based network.

172. (Previously Presented) The system of claim 168 wherein the communication path is a local area network.

173. (Previously Presented) The system of claim 168 wherein the communication path includes power line communication links.

174. (Previously Presented) The system of claim 168 wherein the communication path includes radio frequency communication links.

175. (Previously Presented) The system of claim 168 wherein the communication path includes infrared communication links.

176. (Previously Presented) The system of claim 168 wherein the communication path includes telephone lines and cellular telephone links.

177. (Previously Presented) The system of claim 168 wherein the communication path includes a direct Internet connection to the world-wide web.

178. (Previously Presented) The system of claim 168 wherein the communication path includes:

a local area network;

a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

179. (Previously Presented) The system of claim 168 wherein the web browser is embodied in specialized television hardware.

180. (Previously Presented) The system of claim 168 wherein the web browser is embodied in specialized telephone system hardware.

181. (Previously Presented) The system of claim 168 wherein the input/output circuitry is Ethernet circuitry.

182. (Previously Presented) A system for providing a web page for a device that is a spectrum analyzer device, comprising:

(a) a spectrum analyzer device web server mechanism including:

a memory embedded in the spectrum analyzer device, the memory being configured to perform device-specific functions and web server functions, wherein the web server functions include generating a spectrum analyzer device web page that enables control functions for the spectrum analyzer device;

a processor embedded in the spectrum analyzer device and coupled to the memory, the processor being configured to perform device-specific functions and web server functions, wherein the web server functions include generating the spectrum analyzer device web page that enables control functions for the spectrum analyzer device;

software or firmware executed by the processor to service HTTP protocol and to generate HTML files;

spectrum analyzer device-specific hardware embedded in the spectrum analyzer device and coupled to the processor;

input/output circuitry embedded in the spectrum analyzer device and coupled to the processor; and

(b) a communication path coupled to the input/output circuitry; and

(c) a web browser coupled to the communication path for rendering the spectrum analyzer device web page.

183. (Previously Presented) The system of claim 182 wherein the processor also performs control and information monitoring and logging functions by executing the software or firmware.

184. (Previously Presented) The system of claim 182 wherein the software or firmware includes communication software or firmware that the processor executes to drive the input/output circuitry.

185. (Previously Presented) The system of claim 182 wherein the communication path is a home- based network.

186. (Previously Presented) The system of claim 182 wherein the communication path is a local area network.

187. (Previously Presented) The system of claim 182 wherein the communication path includes power line communication links.

188. (Previously Presented) The system of claim 182 wherein the communication path includes radio frequency communication links.

189. (Previously Presented) The system of claim 182 wherein the communication path includes infrared communication links.

190. (Previously Presented) The system of claim 182 wherein the communication path includes telephone lines and cellular telephone links.

191. (Previously Presented) The system of claim 182 wherein the communication path includes a direct Internet connection to the world-wide web.

192. (Previously Presented) The system of claim 182 wherein the communication path includes:

a local area network;

a communication bridge coupled to the local area network; and the world-wide web, the world-wide web being coupled to the communication bridge.

193. (Previously Presented) The system of claim 182 wherein the web browser is embodied in specialized television hardware.

194. (Previously Presented) The system of claim 182 wherein the web browser is embodied in specialized telephone system hardware.

195. (Previously Presented) The system of claim 182 wherein the input/output circuitry is Ethernet circuitry.